## STANDARD OPERATING PROCEDURES

## DIVISION OF COMPARATIVE MEDICINE UNIVERSITY OF SOUTH FLORIDA

SOP#: 425.2 Date Issued: 4/18 Date Revised: 7/24 Page 1 of 3

TITLE: Characterization of Biologics for Use in Rodents

**SCOPE:** All Program Personnel

SOP #425.1 Characterization of Biologics Used in Rodents Effective 4/18 Page 2 of 3

## IV. PROCEDURES

- 1. Biologicals intended to be used in rodents should be submitted for evaluation and listed on an approved IACUC protocol, with results of testing for excluded infectious agents attached in section 15.
- 2. Cells, cell cultures, or liquid biologic samples planned for research use in mice should be collected aseptically to prevent contamination and submitted frozen to the animal facility manager for characterization.
- 3. One cryovial containing a minimum of 1x10<sup>6</sup> cells/vial of each cellular sample, currently in, or planned for active research use involving mice should be tested. Cells may be in the form of a pellet, or in growth media, freeze media, or phosphate buffered saline. For liquid samples, one cryovial with 0.5 mL of me s[c)-2 (el)2.6 (l)2.6 (s6.6 ( o)10.5 ( T348.152 Td(2.)Tp Tc 0 Tw 0.826 0 Tm( )Tj0n )11.3 (m)-6 (i)2.6

SOP #425.1	
Characterization of Biologics Used in Rodents	s
Effective 4/18	
Page 3 of 3	

Once a biologic from a specific source has bee retesting <b>for 6 years</b> .	_	
Approved:	Date:	